



MORA FLEXX T5 bath mixer

In the Mora Flexx collection, strong focus has been placed on design. Soft, curved shapes are used consistently to create a coordinated look. This, along with our energy-saving functions and well-known high quality, makes them very popular with plumbers. Also see our shower and bath packages – smart all-in-one solutions with an overhead shower or hand shower set.


Article number: 280100.DB

Description: Chrome, incl. s-connection (2x701001)

Unique characteristics

- Swivel spout with built-in diverter
- Pressure balanced thermostatic mixer
- Temperature handle with safety stop at 38°C
- With Eco-function
- Approved non-return valves, EN-Standard EN1717

Backflow protection unit type




PRODUCT DESCRIPTION

MORA FLEXX T5 bath mixer

In the Mora Flexx collection, strong focus has been placed on design. Soft, curved shapes are used consistently to create a coordinated look. This, along with our energy-saving functions and well-known high quality, makes them very popular with plumbers. Also see our shower and bath packages – smart all-in-one solutions with an overhead shower or hand shower set.

Article number: 280100.DB



Sparepartlist

NO.	ART NO.	RSK	DESCRIPTION
1	409460.AE		On/off handle, complete
2	707977.AE		Ceramic headwork, reversible
3	409360.AA	8187781	Inlet connector 150 c/c (left-handed thread), retail packed
4	409355.AE	8345136	Thermostatic cartridge, complete, with service tool
5	409461.AE		Temperature handle, complete
6	409365.AE	8187026	Nipple M18x1 - G1/2
7	409550		Swivel spout, for conversion of shower mixer to bath/shower mixer
8	409462.AE		Care-handle, 2 pcs
9	209559.AE		Scalding protection ring
10	707900.AE		Stop ring, standard
10	707901.AE		Stop ring, reversible
11	131415.AE	8281512	Housing M24 utv., 15 mm, chrome
12	409366.AE		Nipple M18x1 with o-ring for bath mixer
13	209519.AE	8938340	O-ring, for swivel spout
14	129154.AE	8295332	Stop ring
15	708655.AE	8295447	Locking screw

NO.	ART NO.	RSK	DESCRIPTION
16	891096.AE	8345921	Service tool
17	139783.AE	8281546	Aerator inlet, 20–24 l/min at 300 kPa